

# Component 2 / Unit 5 – Evidence-Based Medicine

## Bibliography

- Anderson, G., Limacher, M., et al. (2004). Effects of conjugated equine estrogen in postmenopausal women with hysterectomy: the Women's Health Initiative randomized controlled trial. *Journal of the American Medical Association*, 291: 1701-1712.
- Andriole, G., Grubb, R., et al. (2009). Mortality results from a randomized prostate-cancer screening trial. *New England Journal of Medicine*, 360: 1310-1319.
- Anonymous (1948). Streptomycin treatment of pulmonary tuberculosis. *British Medical Journal*, 30: 769-782.
- Anonymous (2001). *Crossing the Quality Chasm: A New Health System for the 21st Century*. Washington, DC. National Academies Press.
- Anonymous (2002a). Major outcomes in high-risk hypertensive patients randomized to angiotensin-converting enzyme inhibitor or calcium channel blocker vs diuretic: the Antihypertensive and Lipid-Lowering Treatment to Prevent Heart Attack Trial (ALLHAT). *Journal of the American Medical Association*, 288: 2981-2997.
- Anonymous (2002b). Risks and benefits of estrogen plus progestin in healthy postmenopausal women - principal results from the Women's Health Initiative randomized controlled trial. *Journal of the American Medical Association*, 288: 321-333.
- Anonymous (2009a). Effects of a polypill (Polycap) on risk factors in middle-aged individuals without cardiovascular disease (TIPS): a phase II, double-blind, randomised trial. *Lancet*, 373: 1341-1351.
- Anonymous (2009b). Federal Coordinating Council for Comparative Effectiveness Research - Report to the President and the Congress. Washington, DC, Department of Health and Human Services.  
<http://www.hhs.gov/recovery/programs/cer/cerannualrpt.pdf>.
- Anonymous (2009c). Fraud Case Rocks Anesthesiology Community. Anesthesiology News. March, 2009.  
[http://www.anesthesiologynews.com/index.asp?ses=ogst&section\\_id=3&show=dopt&article\\_id=12634](http://www.anesthesiologynews.com/index.asp?ses=ogst&section_id=3&show=dopt&article_id=12634).
- Anonymous (2009d). Initial National Priorities for Comparative Effectiveness Research. Washington, DC, Institute of Medicine.  
<http://www.iom.edu/Reports/2009/ComparativeEffectivenessResearchPriorities.aspx>.
- Anonymous (2009e). *Initial National Priorities for Comparative Effectiveness Research*. Washington, DC. National Academies Press.  
[http://www.nap.edu/catalog.php?record\\_id=12648](http://www.nap.edu/catalog.php?record_id=12648).
- Atkins, D., Fink, K., et al. (2005). Better information for better health care: the Evidence-based Practice Center Program and the Agency for Healthcare Research and Quality. *Annals of Internal Medicine*, 142: 1035-1041.

- Barry, M. (2009). Screening for prostate cancer - the controversy that refuses to die. *New England Journal of Medicine*, 360: 1351-1354.
- Bell, I., Caspi, O., et al. (2001). Integrative medicine and systemic outcomes research: issues in the emergence of a new model for primary health care. *Archives of Internal Medicine*, 162: 133-140.
- Benson, K. and Hartz, A. (2000). A comparison of observational studies and randomized, controlled trials. *New England Journal of Medicine*, 342: 1878-1886.
- Bill-Axelsson, A., Holmberg, L., et al. (2005). Radical prostatectomy versus watchful waiting in early prostate cancer. *New England Journal of Medicine*, 352: 1977-1984.
- Bleck, T. (2000). Different rating scale could be used. *British Medical Journal*, 321: 239. <http://bmj.com/cgi/content/full/321/7255/239>.
- Boyd, C., Darer, J., et al. (2005). Clinical practice guidelines and quality of care for older patients with multiple comorbid diseases: implications for pay for performance. *Journal of the American Medical Association*, 294: 716-724.
- Brugts, J., Yetgin, T., et al. (2009). The benefits of statins in people without established cardiovascular disease but with cardiovascular risk factors: meta-analysis of randomised controlled trials. *British Medical Journal*, 338: b2376.
- Cabana, M., Rand, C., et al. (1999). Why don't physicians follow clinical practice guidelines? A framework for improvement. *Journal of the American Medical Association*, 282: 1458-1465.
- Camporese, G., Bernardi, E., et al. (2008). Low-molecular-weight heparin versus compression stockings for thromboprophylaxis after knee arthroscopy: a randomized trial. *Annals of Internal Medicine*, 149: 73-82.
- Charlton, B. and Miles, A. (1998). The rise and fall of EBM. *Quarterly Journal of Medicine*, 91: 371-374.
- Choudhry, N., Stelfox, H., et al. (2002). Relationships between authors of clinical practice guidelines and the pharmaceutical industry. *Journal of the American Medical Association*, 287: 612-617.
- Clancy, C. and Eisenberg, J. (1998). Outcomes research: measuring the end results of health care. *Science*, 282: 245-246.
- Cohen, A., Stavri, P., et al. (2004). A categorization and analysis of the criticisms of evidence-based medicine. *International Journal of Medical Informatics*, 73: 35-43.
- Conway, P. and Clancy, C. (2009). Comparative-effectiveness research--implications of the Federal Coordinating Council's report. *New England Journal of Medicine*, 361: 328-330.
- Cushman, M., Kuller, L., et al. (2004). Estrogen plus progestin and risk of venous thrombosis. *Journal of the American Medical Association*, 292: 1573-1580.
- Dawes, M., Summerskill, W., et al. (2005). Sicily statement on evidence-based practice. *BMC Medical Education*, 5(1): 1. <http://www.biomedcentral.com/1472-6920/5/1>.
- Devereaux, P., Bhandari, M., et al. (2005). Need for expertise based randomised controlled trials. *British Medical Journal*, 330: 88.
- Diamond, G. and Kaul, S. (2008). The disconnect between practice guidelines and clinical practice - stressed out. *Journal of the American Medical Association*, 300: 1817-1819.

- DiCenso, A., Bayley, L., et al. (2009). ACP Journal Club. Editorial: Accessing preappraised evidence: fine-tuning the 5S model into a 6S model. *Annals of Internal Medicine*, 151(6): JC3-2, JC3-3.
- Dickersin, K. (1997). How important is publication bias? A synthesis of available data. *AIDS Education and Prevention*, 9: 15-21.
- Douglas, R., Chalker, E., et al. (2000). Vitamin C for preventing and treating the common cold. *Cochrane Database of Systematic Reviews*, 2: CD000980.
- Duckworth, W., Abraira, C., et al. (2009). Glucose control and vascular complications in veterans with type 2 diabetes. *New England Journal of Medicine*, 360: 129-139.
- Dunn, S. (2002). Survival Curves: The Basics, CancerGuide. [http://www.cancerguide.org/scurve\\_basic.html](http://www.cancerguide.org/scurve_basic.html).
- Eden, J., Wheatley, B., et al., eds. (2008). *Knowing What Works in Health Care: A Roadmap for the Nation*. Washington, DC. National Academies Press.
- Egger, M., Zellweger-Zahner, T., et al. (1997). Language bias in randomised controlled trials published in English and German. *Lancet*, 350: 326-329.
- Epstein, A., Hallstrom, A., et al. (1993). Mortality following ventricular arrhythmia suppression by encainide, flecainide, and moricizine after myocardial infarction. The original design concept of the Cardiac Arrhythmia Suppression Trial (CAST). *Journal of the American Medical Association*, 270: 2451-2455.
- Espeland, M., Rapp, S., et al. (2004). Conjugated equine estrogens and global cognitive function in postmenopausal women: Women's Health Initiative Memory Study. *Journal of the American Medical Association*, 291: 2959-2968.
- Feinstein, A. (1995). Meta-analysis: statistical alchemy for the 21st century. *Journal of Clinical Epidemiology*, 48: 71-79.
- Finfer, S., Chittock, D., et al. (2009). Intensive versus conventional glucose control in critically ill patients. *New England Journal of Medicine*, 360: 1283-1297.
- Folsom, A., Chambless, L., et al. (2006). An assessment of incremental coronary risk prediction using C-reactive protein and other novel risk markers: the atherosclerosis risk in communities study. *Archives of Internal Medicine*, 166: 1368-1373.
- Ford, E., Bergmann, M., et al. (2009). Healthy living is the best revenge: findings from the European Prospective Investigation Into Cancer and Nutrition-Potsdam study. *Archives of Internal Medicine*, 169: 1355-1362.
- Ford, I., Murray, H., et al. (2007). Long-term follow-up of the West of Scotland Coronary Prevention Study. *New England Journal of Medicine*, 357: 1477-1486.
- Franco, O., Bonneux, L., et al. (2004). The polyméal: a more natural, safer, and probably tastier (than the polypill) strategy to reduce cardiovascular disease by more than 75%. *British Medical Journal*, 329: 1147-1150.
- Fromme, E., Eilers, K., et al. (2004). How accurate is clinician reporting of chemotherapy adverse effects? A comparison with patient-reported symptoms from the Quality-of-Life Questionnaire C30. *Journal of Clinical Oncology*, 22: 3485-3490.
- Fukase, K., Kato, M., et al. (2008). Effect of eradication of *Helicobacter pylori* on incidence of metachronous gastric carcinoma after endoscopic resection of early gastric cancer: an open-label, randomised controlled trial. *Lancet*, 372: 392-397.

- Gabbay, J. and leMay, A. (2004). Evidence based guidelines or collectively constructed "mindlines?" Ethnographic study of knowledge management in primary care. *British Medical Journal*, 329: 1013.
- Gabriel, S., O'Fallon, W., et al. (1994). Risk of connective-tissue diseases and other disorders after breast implantation. *New England Journal of Medicine*, 330: 1697-1702.
- Gardin, J., Schumacher, D., et al. (2000). Valvular abnormalities and cardiovascular status following exposure to dexfenfluramine or phentermine/fenfluramine. *Journal of the American Medical Association*, 283: 1703-1709.
- Grimshaw, J., Thomas, R., et al. (2004). Effectiveness and efficiency of guideline dissemination and implementation strategies. Health Technology Assessment. London, England, National Coordinating Centre for Health Technology Assessment, National Health Services.  
<http://www.ncchta.org/execsumm/summ806.htm>.
- Guyatt, G. and Rennie, D. (2001). *Users' Guide to the Medical Literature: Essentials of Evidence-Based Clinical Practice*. Chicago. American Medical Association.
- Guyatt, G., Rennie, D., et al. (2008a). *Users' Guides to the Medical Literature: A Manual for Evidence-Based Clinical Practice*. New York, NY. McGraw-Hill.
- Guyatt, G., Rennie, D., et al. (2008b). *Users' Guides to the Medical Literature: Essentials of Evidence-Based Clinical Practice*. New York, NY. McGraw-Hill.
- Hadler, N. (2008). *Worried Sick: A Prescription for Health in an Overtreated America*. Chapel Hill, NC. University of North Carolina Press.
- Harari, E. (2001). Whose evidence? Lessons from the philosophy of science and the epistemology of medicine. *Australia and New Zealand Journal of Psychiatry*, 35: 724-730.
- Harris, G. (2009). Drug Maker Told Studies Would Aid It, Papers Say. New York Times. March 20, 2009. A16. <http://www.nytimes.com/2009/03/20/us/20psych.html>.
- Haynes, R. (1999). Can it work? Does it work? Is it worth it? *British Medical Journal*, 319: 652-653.
- Haynes, R. (2001). Of studies, syntheses, synopses, and systems: the "4S" evolution of services for finding current best evidence. *ACP Journal Club*, 134: A11-A13.
- Haynes, R. (2002). What kind of evidence is it that Evidence-Based Medicine advocates want health care providers and consumers to pay attention to? *BMC Health Services Research*, 2: 3. <http://www.biomedcentral.com/1472-6963/2/3>.
- Haynes, R. (2006). Of studies, syntheses, synopses, summaries, and systems: the "5S" evolution of information services for evidence-based healthcare decisions. *Evidence-Based Medicine*, 11: 162-164.
- Heiat, A., Gross, C., et al. (2002). Representation of the elderly, women, and minorities in health failure clinical trials. *Archives of Internal Medicine*, 162: 1682-1688.
- Heiss, G., Wallace, R., et al. (2008). Health risks and benefits 3 years after stopping randomized treatment with estrogen and progestin. *Journal of the American Medical Association*, 299: 1036-1045.
- Helfand, M., Morton, S., et al. (2005). Challenges of Summarizing Better Information for Better Health: The Evidence-based Practice Center Experience. *Annals of Internal Medicine*, 142(12 - Part 2).

- Hersh, W. (1999). "A world of knowledge at your fingertips": the promise, reality, and future directions of on-line information retrieval. *Academic Medicine*, 74: 240-243.
- Hersh, W., Helfand, M., et al. (2001). Clinical outcomes resulting from telemedicine interventions: a systematic review. *BMC Medical Informatics and Decision Making*, 1: 5. <http://www.biomedcentral.com/1472-6947/1/5>.
- Hersh, W., Helfand, M., et al. (2002). A systematic review of the efficacy of telemedicine for making diagnostic and management decisions. *Journal of Telemedicine and Telecare*, 8: 197-209.
- Hersh, W., Hickam, D., et al. (2006). Diagnosis, access, and outcomes: update of a systematic review on telemedicine services. *Journal of Telemedicine & Telecare*, 12(Supp 2): 3-31.
- Hibble, A., Kanka, D., et al. (1998). Guidelines in general practice: the new Tower of Babel? *British Medical Journal*, 317: 862-863.
- Hill, G. (2000). Archie Cochrane and his legacy: an internal challenge to physicians' autonomy? *Journal of Clinical Epidemiology*, 53: 1189-1192.
- Hopayian, K. (2001). The need for caution in interpreting high quality systematic reviews. *British Medical Journal*, 323: 681-684.
- Humphrey, L., Chan, B., et al. (2002). Postmenopausal hormone replacement therapy and the primary prevention of cardiovascular disease. *Annals of Internal Medicine*, 137: 273-284.
- Iglehart, J. (2009). Prioritizing comparative-effectiveness research--IOM recommendations. *New England Journal of Medicine*, 361: 325-327.
- Ioannidis, J. (2005). Contradicted and initially stronger effects in highly cited clinical research. *Journal of the American Medical Association*, 294: 218-228.
- Johansson, J., Andren, O., et al. (2004). Natural history of early, localized prostate cancer. *Journal of the American Medical Association*, 291: 2713-2719.
- Kaptchuk, T. (2003). Effect of interpretive bias on research evidence. *British Medical Journal*, 326: 1453-1455.
- Kida, T. (2006). *Don't Believe Everything You Think: The 6 Basic Mistakes We Make in Thinking*. Amherst, NY. Prometheus Books.
- Lafata, J., Simpkins, J., et al. (2004). The economic impact of false-positive cancer screens. *Cancer, Epidemiology, Biomarkers, & Prevention*, 13: 2126-2132.
- Larson, E. (1999). Evidence-based medicine: is translating evidence into practice a solution to the cost-quality challenges facing medicine? *Joint Committee Journal on Quality Improvement*, 25: 480-485.
- Law, M., Morris, J., et al. (2009). Use of blood pressure lowering drugs in the prevention of cardiovascular disease: meta-analysis of 147 randomised trials in the context of expectations from prospective epidemiological studies. *British Medical Journal*, 338: b1665.
- Law, M., Wald, N., et al. (2003a). Value of low dose combination treatment with blood pressure lowering drugs: analysis of 354 randomised trials. *British Medical Journal*, 326: 1427-1431.
- Law, M., Wald, N., et al. (2003b). Quantifying effect of statins on low density lipoprotein cholesterol, ischaemic heart disease, and stroke: systematic review and meta-analysis. *British Medical Journal*, 326: 1423-1427.

- Lee, T., Kantoff, P., et al. (2009). Perspective Roundtable: Screening for Prostate Cancer. Boston, MA, New England Journal of Medicine.  
<http://www.nejm.org/perspective-roundtable/screening-for-prostate-cancer/>.
- Levin, A. (2001). The Cochrane Collaboration. *Annals of Internal Medicine*, 135: 309-312.
- Lilford, R., Braunholtz, D., et al. (2000). Trials and fast changing technologies: the case for tracker studies. *British Medical Journal*, 320: 43-46.
- Lin, G., Dudley, R., et al. (2008). Frequency of stress testing to document ischemia prior to elective percutaneous coronary intervention. *Journal of the American Medical Association*, 300: 1765-1773.
- Lindemann, M. (1999). *Medicine and Society in Early Modern Europe*. Cambridge, England. Cambridge University Press.
- Lowe, J. (2002). Estrogen plus progestin increased coronary heart disease and breast cancer events in postmenopausal women. *ACP Journal Club*, 137: 41.
- Luce, B., Kramer, J., et al. (2009). Rethinking randomized clinical trials for comparative effectiveness research: the need for transformational change. *Annals of Internal Medicine*, 151: 206-209.
- MacMahon, B., Yen, S., et al. (1981). Coffee and cancer of the pancreas. *New England Journal of Medicine*, 304: 630-633.
- Magee, L., Mazzotta, P., et al. (2002). Evidence-based view of safety and effectiveness of pharmacologic therapy for nausea and vomiting of pregnancy (NVP). *American Journal of Obstetrics and Gynecology*, 186: S256-S261.
- Manson, J., Allison, M., et al. (2007). Estrogen therapy and coronary-artery calcification. *New England Journal of Medicine*, 356: 2591-2602.
- Manson, J., Hsia, J., et al. (2003). Estrogen plus progestin and the risk of coronary heart disease. *New England Journal of Medicine*, 349: 523-534.
- Marlow, N., Wolke, D., et al. (2005). Neurologic and developmental disability at six years of age after extremely preterm birth. *New England Journal of Medicine*, 352: 9-19.
- Maviglia, S., Zielstorff, R., et al. (2003). Automating complex guidelines for chronic disease: lessons learned. *Journal of the American Medical Informatics Association*, 10: 154-165.
- McAlister, F. (2003). Applying evidence to patient care: from black and white to shades of grey. *Annals of Internal Medicine*, 138: 938-939.
- Mills, E., Rachlis, B., et al. (2008). Primary prevention of cardiovascular mortality and events with statin treatments: a network meta-analysis involving more than 65,000 patients. *Journal of the American College of Cardiology*, 52: 1769-1781.
- Moher, D., Pham, B., et al. (1998). Does quality of reports of randomised trials affect estimates of intervention efficacy reported in meta-analyses? *Lancet*, 352: 609-613.
- Mulrow, C., Cook, D., et al. (1997). Systematic reviews: critical links in the great chain of evidence. *Annals of Internal Medicine*, 126: 389-391.
- Ohno-Machado, L., Gennari, J., et al. (1998). The GuideLine Interchange Format: a model for representing guidelines. *Journal of the American Medical Informatics Association*, 5: 357-372.

- Oliveria, S., Lapuerta, P., et al. (2002). Physician-related barriers to the effective management of uncontrolled hypertension. *Archives of Internal Medicine*, 162: 413-420.
- Poynard, T., Munteanu, M., et al. (2002). Truth survival in clinical research: an evidence-based requiem? *Annals of Internal Medicine*, 136: 888-895.
- Prochazka, A., Lundahl, K., et al. (2005). Support of evidence-based guidelines for the annual physical examination: a survey of primary care providers. *Archives of Internal Medicine*, 165: 1347-1352.
- Rennie, D. (1997). Thyroid storm. *Journal of the American Medical Association*, 277: 1238-1243.
- Rockey, D., Paulson, E., et al. (2005). Analysis of air contrast barium enema, computed tomographic colonography, and colonoscopy: prospective comparison. *Lancet*, 365: 305-311.
- Rossouw, J., Prentice, R., et al. (2007). Postmenopausal hormone therapy and risk of cardiovascular disease by age and years since menopause. *Journal of the American Medical Association*, 297: 1465-1477.
- Sattar, N., Preiss, D., et al. (2009). Statins and risk of incident diabetes: a collaborative meta-analysis of randomised statin trials. *Lancet*, 375: 735-742.
- Schröder, F., Hugosson, J., et al. (2009). Screening and prostate-cancer mortality in a randomized European study. *New England Journal of Medicine*, 360: 1320-1328.
- Schwartz, L., Woloshin, S., et al. (2004). Enthusiasm for cancer screening in the United States. *Journal of the American Medical Association*, 291: 71-78.
- Sever, P., Dahlöf, B., et al. (2003). Prevention of coronary and stroke events with atorvastatin in hypertensive patients who have average or lower-than-average cholesterol concentrations, in the Anglo-Scandinavian Cardiac Outcomes Trial--Lipid Lowering Arm (ASCOT-LLA): a multicentre randomised controlled trial. *Lancet*, 361: 1149-1158.
- Sever, P., Poulter, N., et al. (2008). The Anglo-Scandinavian Cardiac Outcomes Trial lipid lowering arm: extended observations 2 years after trial closure. *European Heart Journal*, 29: 499-508.
- Shalev, V., Chodick, G., et al. (2009). Continuation of statin treatment and all-cause mortality: a population-based cohort study. *Archives of Internal Medicine*, 169: 260-268.
- Shaneyfelt, T. and Centor, R. (2009). Reassessment of clinical practice guidelines: go gently into that good night. *Journal of the American Medical Association*, 301: 868-869.
- Shepherd, J., Cobbe, S., et al. (1995). Prevention of coronary heart disease with pravastatin in men with hypercholesterolemia. *New England Journal of Medicine*, 333: 1301-1307.
- Shiffman, R., Liaw, Y., et al. (1999). Computer-based guideline implementation systems: a systematic review of functionality and effectiveness. *Journal of the American Medical Informatics Association*, 6: 104-114.
- Shojania, K. and Grimshaw, J. (2005). Evidence-based quality improvement: the state of the science. *Health Affairs*, 24: 138-150.
- Shumaker, S., Legault, C., et al. (2004). Conjugated equine estrogens and incidence of probable dementia and mild cognitive impairment in postmenopausal women:

- Women's Health Initiative Memory Study. *Journal of the American Medical Association*, 291: 2947-2958.
- Simon, J. (2003). Atorvastatin reduced coronary and stroke events in patients with hypertension and without dyslipidemia. *ACP Journal Club*, 139(3): 57.
- Sirovich, B. and Welch, H. (2004). Cervical cancer screening among women without a cervix. *Journal of the American Medical Association*, 291: 2990-2993.
- Slawson, D. and Shaughnessy, A. (2005). Teaching evidence-based medicine: should we be teaching information management instead? *Academic Medicine*, 80: 685-689.
- Smith, G. and Pell, J. (2003). Parachute use to prevent death and major trauma related to gravitational challenge: systematic review of randomised controlled trials. *British Medical Journal*, 327: 1459-1461.
- Soares, H., Kumar, A., et al. (2005). Evaluation of new treatments in radiation oncology: are they better than standard treatments? *Journal of the American Medical Association*, 293: 970-978.
- Sox, H. and Greenfield, S. (2009). Comparative effectiveness research: a report from the Institute of Medicine. *Annals of Internal Medicine*, 151: 203-205.
- Sox, H. and Rennie, D. (2006). Research misconduct, retraction, and cleansing the medical literature: lessons from the Poehlman case. *Annals of Internal Medicine*, 144: 609-613.
- Stern, J. and Simes, R. (1997). Publication bias: evidence of delayed publication in a cohort study of clinical research projects. *British Medical Journal*, 315: 640-645.
- Straus, S., Richardson, W., et al. (2005). *Evidence Based Medicine: How to Practice and Teach EBM, Third Edition*. New York, NY. Churchill Livingstone.
- Swan, S. (2000). Intrauterine exposure to diethylstilbestrol: long-term effects in humans. *Acta Pathologica, Microbiologica et Immunologica Scandinavica*, 108: 793-804.
- Tierney, W., Overhage, J., et al. (2003). Effects of computerized guidelines for managing heart disease in primary care - a randomized controlled trial. *Journal of General Internal Medicine*, 18: 967-976.
- Tierney, W., Overhage, J., et al. (2005). Can computer-generated evidence-based care suggestions enhance evidence-based management of asthma and chronic obstructive pulmonary disease? A randomized, controlled trial. *Health Services Research*, 40: 477-497.
- Timmermans, S. and Mauck, A. (2005). The promises and pitfalls of evidence-based medicine. *Health Affairs*, 24: 18-28.
- Tricoci, P., Allen, J., et al. (2009). Scientific evidence underlying the ACC/AHA clinical practice guidelines. *Journal of the American Medical Association*, 301: 831-841.
- Tunis, S., Stryer, D., et al. (2003). Practical clinical trials - increasing the value of clinical research for decision making in clinical and health policy. *Journal of the American Medical Association*, 290: 1624-1632.
- Turner, E., Matthews, A., et al. (2008). Selective publication of antidepressant trials and its influence on apparent efficacy. *New England Journal of Medicine*, 358: 252-260.
- Villanueva, P., Piero, S., et al. (2003). Accuracy of pharmaceutical advertisements in medical journals. *Lancet*, 361: 27-32.



- Vreeman, R. and Carroll, A. (2008). Seasonal medical myths that lack convincing evidence. *British Medical Journal*, 337: 1442-1443.  
[http://www.bmj.com/cgi/section\\_pdf/337/dec17\\_2/a2769.pdf](http://www.bmj.com/cgi/section_pdf/337/dec17_2/a2769.pdf).
- Wald, D., Law, M., et al. (2002). Homocysteine and cardiovascular disease: evidence on causality from a meta-analysis. *British Medical Journal*, 325: 1202-1206.
- Wald, N. and Law, M. (2003). A strategy to reduce cardiovascular disease by more than 80%. *British Medical Journal*, 326: 1419-1423.
- Wald, N. and Wald, D. (2010). The polypill concept. *Heart*, 96: 1-4.
- Wells, P., Anderson, D., et al. (2000). Derivation of a simple clinical model to categorize patients probability of pulmonary embolism: increasing the models utility with the SimpliRED D-dimer. *Thrombosis and Haemostasis*, 83: 416-420.
- Wells, P., Owen, C., et al. (2006). Does this patient have deep vein thrombosis? *Journal of the American Medical Association*, 295: 199-207.
- Whiting, P., Rutjes, A., et al. (2004). Sources of variation and bias in studies of diagnostic accuracy - a systematic review. *Annals of Internal Medicine*, 140: 189-202.
- Wilkes, M., Doblin, B., et al. (1992). Pharmaceutical advertisements in leading medical journals: experts' assessments. *Annals of Internal Medicine*, 116: 912-919.
- Wilson, D. (2010). Risks Seen in Cholesterol Drug Use in Healthy People. New York Times. March 30, 2010.  
<http://www.nytimes.com/2010/03/31/business/31statins.html>.
- Woolf, S. and Johnson, R. (2005). The break-even point: when medical advances are less important than improving the fidelity with which they are delivered. *Annals of Family Medicine*, 3: 545-552.
- Zheng, W., McLaughlin, J., et al. (1993). A cohort study of smoking, alcohol consumption, and dietary factors for pancreatic cancer (United States). *Cancer Causes & Control: CCC*, 4: 477-482.